

FIG.1




FIG.2




FIG.3




FIG.4







FIG.5(a)**FIG.5(b)****FIG.5(c)**





FIG.5(d)**FIG.5(e)****FIG.5(f)**


FIG.6(a)



SEALING WITH RESIN




FIG.6(b)



POLISHING OF SURFACE



FIG.6(c)



POLISHING OF BACK SIDE



FIG.6(d)




FIG.6(e)




FIG.6(f)




FIG.7(a)




FIG.7(b)




FIG.7(c)




FIG.8




FIG.9




FIG.10




FIG.11




FIG.12




FIG.13




FIG.14





FIG.150" 24825860


FIG.15(a)



SEALING WITH RESIN




FIG.15(b)



POLISHING OF SURFACE




FIG.15(c)



POLISHING OF BACK SIDE




FIG.15(d)



SEALING OF BACK SIDE




FIG.15(e)



EXPOSURE OF BACK SIDE RE-WIRING




FIG.15(f)



FORMING OF TERMINAL



FIG.15(g)



FORMING OF TERMINAL

FIG.16(a)




FIG.16(b)




FIG.16(c)




FIG.17




FIG.18




FIG.19




FIG.20




FIG.21




FIG.22






FIG.23(a)



FORMING OF INTERLAYER FILM




FIG.23(b)



FORMING OF METAL FILM




FIG.23(c)





FORMING OF RE-WIRING



FIG.23(d)

FORMING OF Cu POST

**FIG.23(e)**REMOVAL OF UNNECESSARY
METAL FILM**FIG.24(a)**

FORMING OF Cu POST






FIG.24(b)**FIG.24(c)****FIG.24(d)****FIG.24(e)**

FIG.25

